BACnet Thermostat – Makeup Air Unit: Modulating Cooling





SPECIFICATIONS

EXL-01815
1
1
0
12-24 V AC/DC
5 VA
1.0 Amps
24 VAC/DC
0-10 VDC
BACnet MS/TP

PART NUMBER:

EXL-01815 [Options] Options RA, DA, RN



FEATURES

- Energy Management System ready with BACnet communications.
- Internal Sensor controls 1 Analog cooling stage.
- Setpoints are limited to internal settings (adjustable).
- Anticycle time delays Protect equipment.
- Easy installation and operation.
- Stand-alone operation.
- Discharge Air Temp reset from Outside Air for dehumidification.
- For cooling only climates.

BACnet Thermostat

Description:

This BACnet thermostat operates any cooling application with up to 1 stage of analog cooling. Setpoints are adjustable from the BACnet interface. Space temperature setpoints are internally limited by a minimum and maximum setting (adjustable). The thermostat may be placed in the occupied or unoccupied mode. Space temperature is displayed under normal operation. The digital display indicates the current operating mode and outside air temperature (if provided via the BACnet interface).

The unoccupied mode may be overridden by an occupant adjustment up to the maximum allowed hours (adjustable). A manual timer allows from 0.1 to 99.9 hours of occupied operation and then returns to the unoccupied mode.

Night Setback modulates the heating or cooling when the room temperature is below 60° F or greater than 85° F and continues operation until the setpoint is exceeded by 5° F.

When ordering quantities greater than 30 customized setpoints and additional sequences are available at additional cost, please request a quote for your application.

Relay isolation allows for independent power supply on controlled equipment.

Options:

- RA Monitors Return Air Temperature for Troubleshooting.
- DA Monitors Discharge Air Temperature for Troubleshooting.
- RN Remote Sensor Allows the controller to be located in a secure room and the Room Sensor to be in an exterior zone.

